

## Delivery Times List for Air Coolers

Commencing with **11-16-2009** (valid until further notice)

**STOCK PROGRAM - available at short notice**

Air Coolers:	Air Coolers with electrical defrost:
<b>SGA.C</b> 011, 021, 031, 041, 051, 061, 071, 081, 091, 101 062, 072, 082, 102	<b>SGAE.C</b> 021, 041, 061, 071
<b>SGB.C</b> 011, 021, 031, 041, 051, 061, 071, 081, 091, 101 082	<b>SGBE.C</b> 011, 021, 031, 041, 051, 061, 071, 081, 091, 101 022, 042, 052, 062, 072, 082, 092, 102 093
<b>DEA.D</b> 071, 081, 091 072, 082, 092 083, 093 094	<b>DEAE.D</b> 071, 081, 091 072, 082, 092 093 094
<b>DEB.D</b> 071, 081, 091 072, 092 093 094	<b>DEBE.D</b> 071, 081, 091 072, 082, 092 083, 093 084, 094
<b>compact DFA.C</b> 051, 061, 071 052, 062, 072 073	<b>compact DFAE.C</b> 051, 061, 071 052, 062, 072
<b>compact DFB.C</b> 051, 061, 071 052, 072	<b>compact DFBE.C</b> 051, 061, 071 052, 062, 072 063, 073 074
<b>comfort DPA.C</b> 031, 041 032, 042 033, 043 034, 044	<b>comfort DPAE.C</b> 041 032, 042 043 044
	<b>comfort DPBE.C</b> 031, 041 032, 042 043 044
<b>market plus SPA.D</b> 011, 021, 031, 041, 061, 081 022, 042, 062, 082 043 044	<b>market plus SPAE.D</b> 021, 041, 061 022, 042, 062 043
<b>market plus SPB.D</b> 011, 021, 031, 041, 061 022, 032, 042, 062 043, 063	<b>market plus SPBE.D</b> 011, 021, 031, 041, 061, 081 022, 032, 042, 052, 062, 08: 043, 063, 083 024, 044, 064, 084 065
<b>junior DF.D</b> complete range	
<b>FM(W)A</b> complete range	

**Air Cooler-types beyond our stock programme**

<b>SG.C ( E )</b>	<b>5</b>	<b>compact DF</b>	<b>5</b>	<b>KVB</b>	<b>5</b>
<b>SG industrial</b>	<b>5</b>	<b>comfort DP</b>	<b>5</b>	<b>KL, LH, Sonder</b>	<b>upon request</b>
<b>DZ industrial</b>	<b>5</b>	<b>market plus SP</b>	<b>5</b>		
<b>DE ( E )</b>	<b>5</b>				

Construction variants and options of a.m. types approx. **5** weeks

Stainless steel tubes (V4A) upon request

Please inquire larger order volumes separately

## Changes within Variants & Options (Delivery time in weeks):

### 1. Motor Variants

Series	V1.02	V1.03	V1.04	V1.06	V1.07	V1.08	V1.10	V1.13	V1.17	V1.21	V1.60	V1.33/38/39
SG-F ( E ) <i>industrial</i>	*	-	5	-	5	incl.	-	*	5	5	*	5
SG-G ( E ) <i>industrial</i>	*	-	5	-	5	incl.	-	*	5	5	*	5
SG-N ( E ) <i>industrial</i>	*	-	5	-	5	incl.	-	*	5	5	*	5
DZ-F ( E )	5	-	incl.	5	-	-	*	*	-	-	-	-
DZ-G ( E )	5	-	incl.	5	-	-	*	*	-	-	-	-
DZ-N ( E )	5	-	incl.	5	-	-	*	*	-	-	-	-
SGA/B/L ( E )	5	5	5	-	-	5	-	5	-	-	-	5
DE ( E )	-	-	-	-	-	-	-	-	-	-	-	5
SF ( E )	-	-	-	-	-	-	-	-	-	-	*	-
comfort DP ( E )	5	-	-	-	-	-	-	-	-	-	-	-

\* upon request

The Variant with the longest Delivery Time is determinant for **Combinations of Variants**

### 2. Other Variants

Series	Standard	V2.05 V2.06 V2.xx	V3.09	V3.10	V3.12	V4.01 V4.02	V6.01	V6.02	V6.03	V6.05 V6.07 V6.08	V6.32 V6.33	V4.06
SG-F ( E ) <i>industrial</i>	5	-	5	5	*	5	*	*	5	5	-	5
SG-G ( E ) <i>industrial</i>	5	-	5	5	*	*	*	*	5	-	-	5
SG-N ( E ) <i>industrial</i>	5	-	5	5	*	5	*	*	-	-	-	5
DZ-F ( E )	5	-	5	5	5	5	*	*	5	5	-	-
DZ-G ( E )	5	-	5	5	5	5	*	*	5	5	-	-
DZ-N ( E )	5	-	5	5	5	5	*	*	-	5	-	-
SGA/B/L ( E )	5	5	5	-	-	5	*	*	5	5	5	5
DE ( E )	5	5	-	-	-	-	*	*	5	-	-	-
KVB ( E )	5	-	-	-	-	-	*	*	5	-	-	-
SF ( E )	5	-	-	5	-	-	-	-	-	-	-	-
market plus SP ( E )	5	5	-	-	-	-	*	-	-	-	-	-
compact DF ( E )	5	-	-	-	-	-	*	-	-	-	-	-
comfort DP ( E )	5	5	-	-	-	-	*	-	-	-	-	-

\* upon request

### Code for Variants

Variants of Fan Units	Variant codes	Other variants	Variant codes
Without Fan Unit	V1.01	Brine Application	V2.05/V2.06
Alternating Current	V1.02	Insulated Drip Tray	V3.09
Three-Phase Current	V1.03	Fans hinged	V3.10
Star/Delta	V1.04	Casing: Stainless Steel	V3.12
Silent Version	V1.06	Hot Gas Coil in Drip Tray: Copper	V4.01
Fans Safety Grille	V1.07	Hot Gas in Drip Tray: Stainless Steel	V4.02
IP 66	V1.08	Electrical Defrost in Drip Tray	V4.06
Work Room Cooling	V1.10	Tubes CU; Fins Goldlack, protectively coated	V6.01
Explosion-Proof Version	V1.13	Tubes Stainless Steel, Fins Goldlack	V6.02
Dahlander 1400/700	V1.17	Tubes Stainless Steel, Fins Aluminium	V6.03
Dahlander 900/450	V1.21	Hot Gas Circuit for Coil (without non-return-valve)	V6.05
Quick Cooling	V1.60	Hot Gas Conn. for Coil and Drip Tray (with non-return-valve)	V6.07
Silent Version	V1.33	Cold Gas in Coil and Drip Tray, CU, (without non-return-valve)	V6.08
Silent Version	V1.38	NH3, Pump operation; Directexpansion	V6.32/V6.33
Silent Version	V1.39		

## Delivery Times list for Condensers

Commencing with **11-16-2009** (valid until further notice)

Series	Execution	time ex works (after techn. clarification)	
		Series 05 / 06	Series 08 / 10
CAV / H - Standard GAV / H - Standard	He** in Cu-Al, fan IP66 with 2 speeds CA/05 fan IP54 with 2 speeds	<b>4</b>	<b>4</b>
CAV / H GAV / H	He** in Cu-Goldlack	<b>4</b>	<b>4</b>
CAV / H GAV / H	He** in Cu-Cu	<b>4</b>	<b>4</b>
NAV / H	He** in Stainless Steel-Al	<b>upon request</b>	
Outdated series	---	<b>upon request</b>	

**NOTE: Standard coating RAL 7032 (pebble gray)!**

Any other coloration will entail a postponement of delivery time of one week.

Delivery time for motors with special voltage **upon request**.

Delivery time for AlMg3 fins **upon request**.

**Option control panel: delivery time prolongation by 1 week.**

Condenser stock program:

CA 05 / 06	1x1 + 1x2	Basic unit	<b>on stock</b>
	1x1 + 1x2	mounted with fan (400V / 230V)	<b>5 Werktage</b>

**All changes are marked in red.**

Our central telephone exchange receives calls until 8 p.m., Saturdays from 8 a.m. through 5 p.m.

Our distribution departments are on duty Monday through Thursday from 7.30 a.m. - 5 p.m.  
on Fridays until 3.30 p.m.

You need further information beyond our working hours?

Then please visit us at [www.kueba.com](http://www.kueba.com)