

## Delivery Times List for Air Coolers

Commencing with **10.10.2010** (valid until further notice)

**STOCK PROGRAM - available at short notice**

Air Coolers:

Air Coolers with electrical defrost:

<b>SGA.C</b> 011, 021, 031, 041, 051, 061, 071, 081, 091, 101 062, 072, 082, 102  <b>SGB.C</b> 082  <b>DEA.D</b> 071, 081, 091 072, 082, 092 083, 093 094  <b>DEB.D</b> 071, 081, 091 072, 092 093 094  <b>compact DFA.C</b> 051, 061, 071 052, 062, 072 073  <b>compact DFB.C</b> 051, 061, 071 052, 072  <b>comfort DPA.C</b> 031, 041 032, 042 033, 043 034, 044  <b>market plus SPA.D</b> 011, 021, 031, 041, 061, 081 022, 042, 062, 082 043 044  <b>market plus SPB.D</b> 011, 021, 031, 041, 061 022, 032, 042, 062 043, 063	<b>SGAE.C</b> 021, 041, 061, 071  <b>SGBE.C</b> 011, 021, 031, 041, 051, 061, 071, 081, 091, 101 022, 042, 052, 062, 072, 082, 092, 102 093  <b>DEAE.D</b> 071, 081, 091 072, 082, 092 093 094  <b>DEBE.D</b> 071, 081, 091 072, 082, 092 083, 093 084, 094  <b>compact DFAE.C</b> 051, 061, 071 052, 062, 072  <b>compact DFBE.C</b> 051, 061, 071 052, 062, 072 063, 073 074  <b>comfort DPAE.C</b> 041 032, 042 043 044  <b>comfort DPBE.C</b> 031, 041 032, 042 043 044  <b>market plus SPAE.D</b> 021, 041, 061 022, 042, 062 043  <b>market plus SPBE.D</b> 011, 021, 031, 041, 061, 081 022, 032, 042, 052, 062, 08 043, 063, 083 024, 044, 064, 084 065
---	---

**junior DF.D** complete range

**FM(W)A** complete range

**Air Cooler-types beyond our stock programme**

<b>SG.C ( E )</b>	4	<b>compact DF</b>	4	<b>KVB</b>	4
<b>SG industrial</b>	4	<b>comfort DP</b>	4	<b>KL, LH, Sonder</b>	upon request
<b>DZ industrial</b>	4	<b>market plus SP</b>	4		
<b>DE ( E )</b>	4				

Construction variants and options of a.m. types approx. 5 weeks  
 Stainless steel tubes (V4A) upon request  
 Please inquire larger order volumes separately

### Changes within Variants & Options (Delivery time in weeks):

#### 1. Motor Variants

Baureihe	V1.02	V1.03	V1.04	V1.06	V1.07	V1.08	V1.10	V1.13	V1.17	V1.21	EC	V1.60	V1.33/38/39
<i>SG-F ( E ) industrial</i>	*	-	4	-	4	incl.	-	*	4	4	-	*	4
<i>SG-G ( E ) industrial</i>	*	-	5	-	5	incl.	-	*	5	5	-	*	5
<i>SG-N ( E ) industrial</i>	*	-	4	-	4	incl.	-	*	4	4	-	*	4
<i>DZ-F ( E )</i>	4	-	incl.	4	-	-	*	*	-	-	-	-	-
<i>DZ-G ( E )</i>	5	-	incl.	5	-	-	*	*	-	-	-	-	-
<i>DZ-N ( E )</i>	5	-	incl.	5	-	-	*	*	-	-	-	-	-
<i>SGA/B/L ( E )</i>	4	4	4	-	-	4	-	4	-	-	8	-	4
<i>DE ( E )</i>	-	-	-	-	-	-	-	-	-	-	8	-	4
<i>SF ( E )</i>	-	-	-	-	-	-	-	-	-	-	-	*	-
<i>market plus SP ( E )</i>	-	-	-	-	-	-	-	-	-	-	8	-	-
<i>compact DF ( E )</i>	-	-	-	-	-	-	-	-	-	-	8	-	4
<i>comfort DP ( E )</i>	4	-	-	-	-	-	-	-	-	-	-	-	-

\* upon request

The Variant with the longest Delivery Time is determinant for **Combinations of Variants**

#### 2. Other Variants

Series	Standard	V2.05 V2.06 V2.xx	V3.09	V3.10	V3.12	V4.01 V4.02	V6.01	V6.02	V6.03	V6.05 V6.07 V6.08	V6.32 V6.33	V4.06
<i>SG-F ( E ) industrial</i>	4	-	4	4	*	4	*	*	4	4	-	4
<i>SG-G ( E ) industrial</i>	5	-	5	5	*	*	*	*	5	-	-	5
<i>SG-N ( E ) industrial</i>	4	-	4	4	*	4	*	*	-	-	-	4
<i>DZ-F ( E )</i>	4	-	4	4	4	4	*	*	4	4	-	-
<i>DZ-G ( E )</i>	5	-	5	5	5	5	*	*	5	5	-	-
<i>DZ-N ( E )</i>	5	-	5	5	5	5	*	*	-	5	-	-
<i>SGA/B/L ( E )</i>	4	4	4	-	-	4	*	*	4	4	4	4
<i>DE ( E )</i>	4	4	-	-	-	-	*	*	4	-	-	-
<i>KVB ( E )</i>	4	-	-	-	-	-	*	*	4	-	-	-
<i>SF ( E )</i>	4	-	-	4	-	-	-	-	-	-	-	-
<i>market plus SP ( E )</i>	4	4	-	-	-	-	*	-	-	-	-	-
<i>compact DF ( E )</i>	4	-	-	-	-	-	*	-	-	-	-	-
<i>comfort DP ( E )</i>	4	4	-	-	-	-	*	-	-	-	-	-

\* upon request

#### Code for Variants

Variants of Fan Units	Variant codes	Other variants	Variant codes
Without Fan Unit	V1.01	Brine Application	V2.05/V2.06
Alternating Current	V1.02	Insulated Drip Tray	V3.09
Three-Phase Current	V1.03	Fans hinged	V3.10
Star/Delta	V1.04	Casing: Stainless Steel	V3.12
Silent Version	V1.06	Hot Gas Coil in Drip Tray: Copper	V4.01
Fans Safety Grille	V1.07	Hot Gas in Drip Tray: Stainless Steel	V4.02
IP 66	V1.08	Electrical Defrost in Drip Tray	V4.06
Work Room Cooling	V1.10	Tubes CU; Fins Goldlack, protectively coated	V6.01
Explosion-Proof Version	V1.13	Tubes Stainless Steel, Fins Goldlack	V6.02
Dahlander 1400/700	V1.17	Tubes Stainless Steel, Fins Aluminium	V6.03
Dahlander 900/450	V1.21	Hot Gas Circuit for Coil (without non-return-valve)	V6.05
Quick Cooling	V1.60	Hot Gas Conn. for Coil and Drip Tray (with non-return-valve)	V6.07
Silent Version	V1.33	Cold Gas in Coil and Drip Tray, CU, (without non-return-valve)	V6.08
Silent Version	V1.38	NH3, Pump operation; Directexpansion	V6.32/V6.33
Silent Version	V1.39		

## Delivery Times list for Condensers

Commencing with **10.10.2010** (valid until further notice)

Series	Execution	time ex works (after techn. clarification)	
		Series 05 / 06	Series 08 / 10
CAV / H - Standard GAV / H - Standard	He** in Cu-Al, fan IP66 with 2 speeds CA/05 fan IP54 with 2 speeds	4	4
CAV / H GAV / H	He** in Cu-Goldlack	4	4
CAV / H GAV / H	He** in Cu-Cu	4	4
NAV / H	He** in Stainless Steel-Al	upon request	
Outdated series	---	upon request	

**NOTE: Standard coating RAL 7032 (pebble gray)!**

Any other coloration will entail a postponement of delivery time of one week.

Delivery time for motors with special voltage **upon request**.

Delivery time for AlMg3 fins **upon request**.

**Option control panel: delivery time prolongation by 1 week.**

Condenser stock program:

CA 05 / 06	1x1 + 1x2	Basic unit	on stock
	1x1 + 1x2	mounted with fan (400V / 230V)	5 Working days

**All changes are marked in red.**

Our central telephone exchange receives calls until 8 p.m., Saturdays from 8 a.m. through 5 p.m.

Our distribution departments are on duty Monday through Thursday from 7.30 a.m. - 5 p.m.  
on Fridays until 3.30 p.m.

You need further information beyond our working hours?  
Then please visit us at [www.kueba.com](http://www.kueba.com)